

---

# X-29A Longitudinal and Directional Force and Moment Supplemental Transonic Wind Tunnel Test Results

---

Albion H. Bowers

August 1984

---

# X-29A Longitudinal and Directional Force and Moment Supplemental Transonic Wind Tunnel Test Results

---

Albion H. Bowers

NASA Ames Research Center, Dryden Flight Research Facility, Edwards, California 93523

1984



National Aeronautics and  
Space Administration

**Ames Research Center**

Dryden Flight Research Facility  
Edwards, California 93523

## SUMMARY

Aerodynamic data from NASA Ames Research Center's 11-Foot Transonic Wind Tunnel are plotted for the 1/8-scale X-29A forward-swept wing aircraft model. Eleven configurations were tested to provide supplemental data to investigate single surface failure modes, complex nonlinearities, and model buildup.

These data can be used for control system refinements, pilot training, flight planning, and aerodynamic model validation. Data are presented as corrected wind tunnel data without analysis to document results that are being used for the aerodynamic model.

## INTRODUCTION

The X-29A aircraft is a research vehicle that is scheduled to be used for a manned flight demonstration of forward-swept wing technology. Program objectives include advances in aerodynamic, structural, and flight control technologies. This aircraft can provide new design options for future military and commercial aircraft.

In May 1982, a wind tunnel test (number 538-1-11) was conducted in the NASA Ames Research Center's 11-Foot Transonic Wind Tunnel (ref. 1). This test provided an aerodynamic baseline data set for the X-29A aircraft. To supplement these data, a second test was conducted in July 1983 in the same wind tunnel. A 1/8-scale X-29A model was used for both of these tests (ref. 2). Wind tunnel corrections for both tests are identical.

This report documents the second wind tunnel test, number 577-1-11. Pertinent simulation packages and corresponding technical publications tests are detailed in the appendix. Configurations in test 577-1-11 included single control surface failure modes in the flaps, canards, and strakes, and nonlinearities in sideslip and high-angle-of-attack characteristics. Additional information on model buildup was also obtained. These data will be used for control system refinements, pilot training, flight planning, and aerodynamic model validation. Data are presented as corrected wind tunnel data without analysis.

## NOMENCLATURE

ALPHA	angle of attack, deg
BETA	angle of sideslip, deg
BL	buttock line
CD	drag coefficient, stability axis
CL	lift coefficient, stability axis
CLL	rolling moment coefficient, body axis

CLMS	pitching moment coefficient, body axis
CLN	yawing moment coefficient, body axis
CYS	side force coefficient, body axis
DC	canard deflection, deg (both left and right in unison)
DCL	left canard deflection, deg
DCR	right canard deflection, deg
DF	flap deflection, deg
DFIL	left inboard flap deflection, deg
DFIR	right inboard flap deflection, deg
DFOL	left outboard flap deflection, deg
DFOR	right outboard flap deflection, deg
DR	rudder deflection, deg
DS	strake deflection, deg
FS	fuselage station
RUN	wind tunnel run number
WL	waterline

#### MODEL CONFIGURATIONS

Changes in inboard flap, outboard flap, or rudder deflection were considered to be new configurations. The 11 designated configurations tested are shown on table 1. Configurations 1 through 9 are for aerodynamic data, and configurations 10 and 11 are for model buildup. Independent external control of the model's left and right canards allowed symmetric or asymmetric deflections, or both, during each wind tunnel run. All other control surfaces required stopping the tunnel and manually changing the model.

#### DATA PRESENTATION

All of the figures in this report are grouped according to configuration. The figure number and corresponding configuration, along with the test conditions, are presented in table 2. The run numbers are as specified in wind tunnel test number 577-1-11. For each figure there is an (a), a (b), and a (c) part for one set of wind tunnel runs. The (a) figures contain the lift coefficient (CL) vs. angle of

attack (ALPHA) or rolling moment coefficient (CLL) vs. angle of sideslip (BETA) plots; the (b) figures contain the drag coefficient (CD) vs. CL or yawing moment coefficient (CLN) vs. BETA plots; and the (c) figures contain the pitching moment coefficient (CLMS) vs. CL or side force coefficient (CYS) vs. BETA plots. All moments are about fuselage station (FS) 454.27, waterline (WL) 66 and buttock line (BL) 0. Aircraft reference wing area, span, and chord were  $17.196 \text{ m}^2$  ( $18\text{ft}^2$ ), 8.294 m (27 ft), and 2.200 m (7 ft), respectively.

#### CONCLUDING REMARKS

Aerodynamic data from NASA Ames Research Center's 11-Foot Transonic Wind Tunnel are presented for the 1/8-scale X-29A forward-swept wing aircraft model. This test, number 577-1-11, was conducted to provide supplementary data to investigate single surface failure modes and complex nonlinearities. Information on model buildup are also presented.

These data can be used for control system refinements, pilot training, flight planning, and aerodynamic model validation.

Ames Research Center  
Dryden Flight Research Facility  
National Aeronautics and Space Administration  
Edwards, California 93523, June 21, 1983

## APPENDIX - SIMULATION PACKAGES AND TESTS

This report documents the basic force and moment used to supplement the AERO5 and AERO6 simulation packages. A brief discussion of simulation packages is given below.

- AERO 3: This simulation package is dated Oct. 11, 1982 (ref. 3). The data analysis and wind tunnel results are from an early design and have subsequently been corrected for the current design. The trimmed and linearized derivatives have been previously presented (ref. 4).
- AERO 4: This simulation package is dated Sept. 19, 1983 (ref. 5). These data use wind tunnel test results from the current configuration in normal operations.
- AERO 4A: This is a Mar. 30, 1984 revision (ref. 6) to AERO 4.
- AERO 5: This simulation package is dated Dec. 9, 1983 (refs. 7 and 8). These data detail the flexible, nonlinear aerodynamic math model for canard and strake failure modes.
- AERO 6: This simulation package (ref. 9) is dated Apr. 4, 1984. These data detail the flexible, nonlinear aerodynamic math model for flaperon, canard, and strake failure modes.
- AERO 6B: This is a Mar. 30, 1984 revision (ref. 10) to AERO 6.

## REFERENCES

1. Charletta, R.: Series 1 Transonic/Supersonic Documentation Testing on a 12.5% Scale Grumman Design 712, X-29A Model in the NASA-ARC 11 Foot and 9 x 7 Foot Wind Tunnels. AER/T-PT-199, Grumman Aerosp. Corp., Apr. 1982.
2. Charletta, R.: Series 1 Transonic/Supersonic Testing on a 12.5% Scale Grumman Design 712, X-29A Forward-Swept Wing Demonstrator Model in the NASA-ARC 11 Foot And 9 x 7 Foot Wind Tunnels at Moffett Field, CA. AER/T-AMES-538-1-11, 97, Vols. 1, 2, and 3, Grumman Aerosp. Corp., Aug. 1982.
3. Savatteri, C.; and Zigomalas, A.: X-29A Linear Flexibilized Longitudinal and Lateral-Directional Data Package. 712/ENG-M-82-475, Grumman Aerosp. Corp., Oct. 1982.
4. Budd, Gerald D.: Locally Linearized Longitudinal and Lateral-Directional Aerodynamic Stability and Control Derivatives for the X-29A Aircraft. NASA TM-84919, 1984.
5. Frei, D.: X-29 Flexible, Non-Linear Aerodynamic Math Model (AERO 4); Simulator Check Cases. 712/ENG-M-83-475 REV-A, Grumman Aerosp. Corp., Sept. 1983.
6. Frei, D.: X-29 Flexible, Non-Linear Aerodynamic Math Model: Equations and Computer Subroutines - AERO 4 - Revision A. 712/ENG-M-83-367 REV A, Grumman Aerosp. Corp., Mar. 1984.
7. Salimando, S. C.: X-29 Flexible, Non-Linear Aerodynamic Math Model for Canard and Strake Failure (AERO 5); Data Tables. 712/ENG-M-83-744, Grumman Aerosp. Corp., Dec. 1983.
8. Salimando, S. C.: X-29 Flexible, Non-Linear Aerodynamic Math Model for Canard and Strake Failure; Equations and Computer Subroutines - AERO 5. 712/ENG-M-83-739, Grumman Aerosp. Corp.; Dec. 1983.
9. Frei, D.: X-29 Flexible, Non-Linear Aerodynamic Math Model for Flaperon, Canard, and Strake Flap Failure: Limited Flight Envelope Simulator Check Cases - AERO 6. 712/ENG-M-84-106, Grumman Aerosp. Corp.; Apr. 1984.
10. Frei, D.: X-29 Flexible, Non-Linear Aerodynamic Math Model for Flaperon, Canard, and Strake Flap Failure: Equations and Computer Subroutines - AERO 6 - Revision B. 712/ENG-M-84-029 REV B, Grumman Aerosp. Corp., Mar. 1984.

TABLE 1. - AIRCRAFT CONFIGURATIONS

Config- uration	Canard	DFOL, deg	DFIL, deg	DFIR, deg	DFOR, deg	DS, deg	DR, deg
1	on	0	0	0	0	0	0
2	on	15	15	15	15	varied	0
3	on	25	25	25	25	varied	0
4	on	25	25	-5	-5	0	0
5	on	0	0	-5	-5	0	0
6	on	10	10	-5	-5	0	0
7	on	15	15	-5	-5	0	0
8	on	0	15	15	0	0	0
9	on	10	10	10	10	0	-20
10	on	(wings and vertical removed)					
11	off	(wings removed)				0	

TABLE 2 - FIGURE CONFIGURATIONS AND TEST CONDITIONS

Figure	Config- uration	ALPHA	BETA	DCL	DCR	DS	MACH
1	1	-4,22	0	varied	varied	0	0.6
2	1	-4,22	4	varied	varied	0	0.6
3	1	-4,22	8	varied	varied	0	0.6
4	1	-4,22	varied	varied	varied	0	0.9
5	1	-4,22	varied	varied	varied	varied	0.6
6	1	10	-4,8	varied	varied	varied	0.6
7	1	15	-4,8	varied	varied	0	0.6
8	1	18,20	-4,8	varied	varied	0	0.6
9	1	-4,22	0	0	0	0	varied
10	1	-4,22	0	0	0	0	varied
11	1	-4,22	0	0	0	0	varied
12	1	11	-4,8	varied	varied	0	1.2
13	1	16	-4,8	varied	varied	0	1.2
14	1	11,21	-4,8	0	0	0	1.2
15	1	-4,22	0	varied	0	0	0.6
16	1	-4,22	0	varied	0	0	0.9
17	1	-4,22	0	varied	0	0	1.2
18	1	-4,22	4,8	0	0	0	0.9
19	1	10	-4,8	varied	0	0	0.6
20	1	15	-4,8	varied	0	0	0.6
21	1	10	-4,8	varied	0	0	0.9
22	1	16	-4,8	varied	0	0	0.9
23	1	11	-4,8	varied	0	0	1.2
24	1	16	-4,8	varied	0	0	1.2
25	1	18,20	-4,8	0	0	0	0.9

TABLE 2. - Continued

Figure	Config- uration	ALPHA	BETA	DCL	DCR	DS	MACH
26	2	-4,22	0	varied	varied	0	0.6
27	2	-4,22	0	varied	varied	5	0.6
28	2	-4,22	0	varied	varied	5	0.9
29	2	-4,22	0	varied	varied	-5	0.6
30	2	-4,22	0	varied	varied	-5	0.9
31	2	-4,22	0	varied	varied	10	0.6
32	2	-4,22	0	varied	varied	10	0.9
33	2	-4,22	0	0	0	varied	0.6
34	2	-4,22	0	0	0	varied	0.9
35	2	10	-6,4	varied	varied	varied	0.6
36	2	15	-6,4	varied	varied	10	0.6
37	2	10,15	-6,4	varied	varied	10	0.6
38	2	11	-6,4	varied	varied	10	0.9
39	2	16	-6,4	varied	varied	10	0.9
40	2	11,16	-6,4	varied	varied	10	0.9
41	3	-4,22	0	varied	varied	10	0.9
42	3	-4,22	0	varied	varied	10	0.6
43	3	-4,22	0	varied	varied	-5	0.9
44	3	-4,22	0	varied	varied	-5	0.6
45	3	-4,22	0	varied	varied	5	0.9
46	3	-4,22	0	varied	varied	5	0.6
47	3	-4,22	0	varied	varied	0	0.6
48	3	-4,22	0	0	0	varied	0.9
49	3	-4,22	0	0	0	varied	0.9
50	4	-4,22	0	varied	varied	0	0.6

TABLE 2. - Continued

Figure	Config- uration	ALPHA	BETA	DCL	DCR	DS	MACH
51	4	10	-6,4	varied	varied	0	0.6
52	4	11	-6,4	varied	varied	0	0.9
53	4	15	-6,4	varied	varied	0	0.6
54	4	16	-6,4	varied	varied	0	0.9
55	5	-1,22	0	varied	varied	0	0.6
56	5	-1,22	0	varied	varied	0	0.9
57	5	-1,22	0	varied	varied	0	1.2
58	5	-1,22	0	0	0	0	varied
59	5	10	-6,4	varied	varied	0	0.6
60	5	15	-6,4	varied	varied	0	0.6
61	5	10	-6,4	varied	varied	0	0.9
62	5	15	-6,4	varied	varied	0	0.9
63	6	-1,22	0	varied	varied	0	1.2
64	6	-1,22	0	varied	varied	0	0.9
65	6	-1,22	0	varied	varied	0	0.6
66	6	-1,22	0	0	0	0	varied
67	6	11	-6,4	varied	varied	0	0.9
68	6	10	-6,4	varied	varied	0	0.6
69	6	16	-6,4	varied	varied	0	0.9
70	6	15	-6,4	varied	varied	0	0.6
71	7	-1,22	0	varied	varied	0	0.6
72	7	-1,22	0	varied	varied	0	0.9
73	8	-1,22	0	varied	varied	0	0.6
74	8	-1,22	0	varied	varied	0	0.9
75	8	-1,22	0	varied	varied	0	1.2

TABLE 2. - Concluded

Figure	Config- uration	ALPHA	BETA	DCL	DCR	DS	MACH
76	8	-1,22	0	0	0	0	varied
77	8	10	-6,4	varied	varied	0	0.6
78	8	15	-6,4	varied	varied	0	0.6
79	8	10	-6,4	varied	varied	0	0.9
80	8	16	-6,4	varied	varied	0	0.9
81	8	11	-6,4	varied	varied	0	1.2
82	8	16	-6,4	varied	varied	0	1.2
83	9	-1,22	0	varied	varied	0	1.2
84	9	-1,22	0	varied	varied	0	0.9
85	9	-1,22	0	varied	varied	0	0.6
86	9	-1,22	0	0	0	0	varied
87	9	11	-6,4	varied	varied	0	0.9
88	9	16	-6,4	varied	varied	0	0.9
89	9	10	-6,4	varied	varied	0	0.6
90	9	15	-6,4	varied	varied	0	0.6
91	10	-4,22	0	0	0		varied
92	11	-4,22	0				varied




Figure 1(a). CL vs ALPHA  
Configuration 1, MACH = 0.6, BETA = 0

SYMBOL	RUN	DC
■	12	0
○	13	-20
▲	14	-10
+	15	10
×	16	15
◊	288	10




Figure 1(b). CD vs CL  
Configuration 1, MACH = 0.6, BETA = 0




Figure 1(c). CLMS vs CL  
Configuration 1, MACH = 0.6, BETA = 0

SYMBOL	RUN	DC
□	26	-10
○	27	10




Figure 2(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 1, MACH = 0.6, BETA = 4

SYMBOL	RUN	DC
■	26	-10
○	27	10




Figure 2(b). CD vs CL  
Configuration 1, MACH = 0.6, BETA = 4

SYMBOL	RUN	DC
□	26	-10
○	27	10




Figure 2(c). CLMS vs CL  
Configuration 1, MACH = 0.6, BETA = 4

SYMBOL	RUN	DC
$\square$	24	-10
$\circ$	25	10




Figure 3(a). CL vs ALPHA  
Configuration 1, MACH = 0.6, BETA = 8

SYMBOL	RUN	DC
■	24	-10
○	25	10




Figure 3(b). CD vs CL  
Configuration 1, MACH = 0.6, BETA = 8

SYMBOL	RUN	DC
□	24	-10
○	25	10




Figure 3(c). CLMS vs CL  
Configuration 1, MACH = 0.6, BETA = 8

SYMBOL	RUN	BETA
□	32	4
○	33	8




Figure 4(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 1,  $\text{MACH} = 0.9$ ,  $\text{DC} = 0$

SYMBOL	RUN	BETA
$\Theta$	32	4
	33	8




Figure 4(b). CD vs CL  
Configuration 1, MACH = 0.9, DC = 0

SYMBOL	RUN	BETA
■	32	4
○	33	8




Figure 4(c). CLMS vs CL  
Configuration 1, MACH = 0.9, DC = 0

SYMBOL	RUN	DC	BETA
□	24	-10	4
○	25	10	4
△	26	-10	8
+	27	10	8




Figure 5(a). CL vs ALPHA  
Configuration 1, MACH = 0.6

SYMBOL	RUN	DC	BETA
□	24	-10	4
○	25	10	4
▲	26	-10	8
+	27	10	8




Figure 5(b). CD vs CL  
Configuration 1, MACH = 0.6

SYMBOL	RUN	DC	BETA
□	24	-10	4
○	25	10	4
△	26	-10	6
+	27	10	6




Figure 5(c). CLMS vs CL  
Configuration 1, MACH = 0.6

SYMBOL	RUN	DC
■	18	-10
○	19	0
▲	20	10




Figure 6(a). CLL vs BETA  
Configuration 1, MACH = 0.6, ALPHA = 10

SYMBOL	RUN	DC
□	18	-10
○	19	0
△	20	10




Figure 6(b). CLN vs BETA  
Configuration 1, MACH = 0.6, ALPHA = 10

SYMBOL	RUN	DC
$\square$	18	-10
$\Theta$	19	0
$\Delta$	20	10




Figure 6(c). CYS vs BETA  
 Configuration 1, MACH = 0.6, ALPHA = 10

SYMBOL	RUN	DC
□	21	10
Θ	22	0
△	23	-10




Figure 7(a). CLL vs BETA  
Configuration 1, MACH = 0.6, ALPHA = 15

SYMBOL	RUN	DC
$\square$	21	10
$\circ$	22	0
$\Delta$	23	-10




Figure 7(b). CLN vs BETA  
 Configuration 1, MACH = 0.6, ALPHA = 15

SYMBOL	RUN	DC
□	21	10
○	22	0
▲	23	-10




Figure 7(c). CYS vs BETA  
Configuration 1, MACH = 0.6, DC = 0

SYMBOL	RUN	ALPHA
■	28	18
○	29	20




Figure 8(a). CLL vs BETA  
Configuration 1, MACH = 0.6, DC = 0

SYMBOL	RUN	ALPHA
□	28	18
○	29	20




Figure 8(b).  $CL_N$  vs  $BETA$   
Configuration 1, MACH = 0.6, DC = 0

SYMBOL	RUN	ALPHA
■	28	18
○	29	20




Figure 8(c). CYS vs BETA  
 Configuration 1, MACH = 0.6, DC = 0

SYMBOL	RUN	MACH
□	35	1.20
○	50	1.40
▲	54	1.30
+	57	1.25




Figure 9(a). CL vs ALPHA  
Configuration 1, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	35	1.20
○	50	1.40
△	54	1.30
+	57	1.25




Figure 9(b). CD vs CL  
Configuration 1, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	35	1.20
○	50	1.40
△	54	1.30
+	57	1.25




Figure 9(c). CLMS vs CL  
Configuration 1, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	38	1.20
○	51	1.40
△	55	1.30
+	56	1.25




Figure 10(a). CL vs ALPHA  
Configuration 1, BETA = 0, DC = 10

SYMBOL	RUN	MACH
□	38	1.20
○	51	1.40
△	55	1.30
+	56	1.25




Figure 10(b). CD vs CL  
Configuration 1, BETA = 0, DC = 10




Figure 10(c). CLMS vs CL  
Configuration 1, BETA = 0, DC = 10

SYMBOL	RUN	MACH
□	37	1.20
○	52	1.40
▲	53	1.30
+	58	1.25




Figure 11(a). CL vs ALPHA  
Configuration 1, BETA = 0, DC = -10

SYMBOL	RUN	MACH
□	37	1.20
○	52	1.40
▲	53	1.30
+	58	1.25




Figure 11(b). CD vs CL  
Configuration 1, BETA = 0, DC = -10

SYMBOL	RUN	MACH
□	37	1.20
○	52	1.40
▲	53	1.30
+	58	1.25




Figure 11(c). CLMS vs CL  
Configuration 1, BETA = 0, DC = -10

SYMBOL	RUN	DC
□	40	10
○	41	0
▲	42	-10




Figure 12(a).  $C_{L\perp}$  vs BETA  
Configuration 1,  $\text{ALPHA} = 10.9$ ,  $\text{MACH} = 1.2$




Figure 12(b). CLN vs BETA  
 Configuration 1, ALPHA = 10.9, MACH = 1.2

SYMBOL	RUN	DC
■	40	10
○	41	0
△	42	-10




Figure 12(c). CYS vs BETA  
Configuration 1, ALPHA = 10.9, MACH = 1.2

SYMBOL	RUN	DC
□	43	10
○	44	0
△	45	-10




Figure 13(a). CLL vs BETA  
Configuration 1, MACH = 1.2, ALPHA = 16.2

SYMBOL	RUN	DC
□	43	10
○	44	0
△	45	-10




Figure 13(b). CLN vs BETA  
 Configuration 1, MACH = 1.2, ALPHA = 16.2

SYMBOL	RUN	DC
□	43	10
○	44	0
△	45	-10




Figure 13(c). CYS vs BETA  
Configuration 1, MACH = 1.2, ALPHA = 16.2

SYMBOL	RUN	ALPHA
□	41	10.9
○	44	16.2
▲	46	18.8
+	47	21.4




Figure 14(a). CLL vs BETA  
Configuration 1, MACH = 1.2, DC = 0




Figure 14(b). CLN vs BETA  
Configuration 1, MACH = 1.2, DC = 0

SYMBOL	RUN	ALPHA
□	41	10.9
○	44	16.2
▲	46	18.8
+	47	21.4




Figure 14(c). CYS vs BETA  
Configuration 1, MACH = 1.2, DC = 0




Figure 15(a). CL vs ALPHA, DCR = 0,  
Configuration 1, MACH = 0.6, BETA = 0

SYMBOL	RUN	DCL
■	12	0
○	61	-30
△	62	-20
+	63	-15
×	64	-10
◊	65	10
†	66	15




Figure 15(b). CD vs CL, DCR = 0,  
Configuration 1, MACH = 0.6, BETA = 0




Figure 15(c). CLMS vs CL, DCR = 0,  
Configuration 1, MACH = 0.6, BETA = 0




Figure 16(a). CL vs ALPHA, DCR = 0,  
Configuration 1, MACH = 0.9, BETA = 0




Figure 16(b). CD vs CL  
Configuration 1, MACH = 0.9, BETA = 0




Figure 16(c). CLMS vs CL  
Configuration 1, MACH = 0.9, BETA = 0




Figure 17(a). CL vs ALPHA, DCR = 0,  
Configuration 1, MACH = 1.2, BETA = 0




Figure 17(b). CD vs CL, DCR = 0,  
Configuration 1, MACH = 1.2, BETA = 0




Figure 17(c). CLMS vs CL, DCR = 0,  
Configuration 1, MACH = 1.2, BETA = 0

SYMBOL	RUN	BETA
□	32	4
○	33	8




Figure 18(a). CL vs ALPHA  
Configuration 1, MACH = 0.9, DC = 0

SYMBOL	RUN	BETA
■	32	4
○	33	8




Figure 18(b). CD vs CL  
Configuration 1, MACH = 0.9, DC = 0

SYMBOL	RUN	BETA
□	32	4
○	33	8




Figure 18(c).  $CL_{MS}$  vs  $CL$   
Configuration 1,  $MACH = 0.9$ ,  $DC = 0$

SYMBOL	RUN	DCL
■	19	0
△	67	10
▲	68	-10
+	69	-15
×	75	-15
◊	76	-10
↑	77	10




Figure 19(a). CLL vs BETA, DCR = 0,  
Configuration 1, ALPHA = 10, MACH = 0.6




Figure 19(b). CLN vs BETA, DCR = 0,  
Configuration 1, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DCL
□	19	0
○	67	10
△	68	-10
+	69	-15
×	75	-15
◊	76	-10
↑	77	10




Figure 19(c). CYS vs BETA  
Configuration 1, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DCL
□	22	0
○	70	-15
▲	71	-10
+	72	10
×	73	-10
◊	74	-15




Figure 20(a). CLL vs BETA, DCR = 0,  
Configuration 1, ALPHA = 15, MACH = 0.6




Figure 20(b). CLN vs BETA, DCR = 0,  
Configuration 1, ALPHA = 15, MACH = 0.6




Figure 20(c). CYS vs BETA, DCR = 0,  
Configuration 1, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DCL
□	85	-15
○	88	-10
▲	89	10




Figure 21(a).  $CL_L$  vs  $\beta$ ,  $DCR = 0$ ,  
Configuration 1,  $\alpha = 10^\circ$ ,  $MACH = 0.9$

SYMBOL	RUN	DCL
■	85	-15
○	88	-10
▲	89	10




Figure 21(b). CLN vs BETA, DCR = 0,  
Configuration 1, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DCL
□	85	-15
○	88	-10
▲	89	10




Figure 21(c). CYS vs BETA, DCR = 0,  
Configuration 1, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DCL
■	86	-15
○	87	-10
▲	90	10




Figure 22(a).  $C_{LL}$  vs BETA, DCR = 0,  
Configuration 1, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DCL
□	86	-15
○	87	-10
▲	90	10




Figure 22(b). CLN vs BETA, DCR = 0,  
Configuration 1, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DCL
□	86	-15
○	87	-10
▲	90	10




Figure 22(c). CYS vs BETA, DCR = 0,  
Configuration 1, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DCL
□	94	10
○	97	-10
△	100	-15
+	105	-10




Figure 23(a). CLL vs BETA, DCR = 0,  
Configuration 1, ALPHA = 11, MACH = 1.2

SYMBOL	RUN	DCL
□	94	10
○	97	-10
▲	100	-15
+	105	-10




Figure 23(b). CLN vs BETA, DCR = 0,  
Configuration 1, ALPHA = 11, MACH = 1.2

SYMBOL	RUN	DCL
□	94	10
Θ	97	-10
▲	100	-15
+	105	-10




Figure 23(c). CYS vs BETA, DCR = 0,  
Configuration 1, ALPHA = 11, MACH = 1.2

SYMBOL	RUN	DCL
□	93	10
○	96	-10
△	1C1	-15
+	103	-10
X	104	10




Figure 24(a). CLL vs BETA, DCR = 0,  
Configuration 1, ALPHA = 16, MACH = 1.2

SYMBOL	RUN	DCL
□	93	10
○	96	-10
△	101	-15
+	103	-10
×	104	10




Figure 24(b). CLN vs BETA, DCR = 0,  
Configuration 1, ALPHA = 16, MACH = 1.2

SYMBOL	RUN	DCL
■	93	10
○	96	-10
▲	101	-15
+	103	-10
X	104	10




Figure 24(c). CYS vs BETA, DCR = 0,  
Configuration 1, ALPHA = 16, MACH = 1.2

SYMBOL	RUN	ALPHA
□	30	18
○	31	21




Figure 25(a). CLL vs BETA  
Configuration 1, MACH = 0.9, DC = 0

SYMBOL	RUN	ALPHA
■	30	18
○	31	21




Figure 25(b). CLN vs BETA  
Configuration 1, MACH = 0.9, DC = 0

SYMBOL	RUN	ALPHA
□	30	18
○	31	21




Figure 25(c). CYS vs BETA  
 Configuration 1, MACH = 0.9, DC = 0

SYMBOL	RUN	DC
□	107	-10
○	108	0
▲	109	10




Figure 26(a).  $CL$  vs  $\text{ALPHA}$ ,  $DS = 0$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
■	107	-10
○	108	0
▲	109	10




Figure 26(b). CD vs CL, DS = 0,  
Configuration 2, BETA = 0, MACH = 0.6




Figure 26(c). CLMS vs CL, DS = 0,  
Configuration 2, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	110	-20
○	111	-10
▲	112	0
+	113	10
X	114	20




Figure 27(a).  $CL$  vs  $\text{ALPHA}$ ,  $DS = 5$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
□	110	-20
○	111	-10
▲	112	0
+	113	10
×	114	20




Figure 27(b). CD vs CL, DS = 5,  
Configuration 2, BETA = 0, MACH = 0.6




Figure 27(c). CLMS vs CL, DS = 5,  
Configuration 2, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	115	20
○	116	10
▲	117	0
+	118	-10
×	119	-20




Figure 28(a).  $CL$  vs  $\text{ALPHA}$ ,  $DS = 5$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.9$




Figure 28(b). CD vs CL, DS = 5,  
Configuration 2, BETA = 0, MACH = 0.9





Figure 28(c). CLMS vs CL, DS = 5,  
Configuration 2, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	121	-20
○	122	-10
△	123	0



**Figure 29(a).**  $CL$  vs  $\text{ALPHA}$ ,  $DS = -5$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
■	121	-20
○	122	-10
▲	123	0




Figure 29(b). CD vs CL, DS = -5,  
Configuration 2, BETA = 0, MACH = 0.6




Figure 29(c). CLMS vs CL, DS = -5,  
Configuration 2, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
■	124	0
○	125	-10
△	126	-20




Figure 30(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DS = -5$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.9$

SYMBOL	RUN	DC
■	124	0
○	125	-10
▲	126	-20




Figure 30(b). CD vs CL, DS = -5,  
Configuration 2, BETA = 0, MACH = 0.9




Figure 30(c). CLMS vs CL, DS = -5,  
Configuration 2, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	127	-20
○	128	-10
△	133	0




Figure 31(a).  $C_L$  vs  $\text{ALPHA}$ , DS = 10,  
Configuration 2, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
■	127	-20
○	128	-10
△	133	0




Figure 31(b). CD vs CL, DS = 10,  
Configuration 2, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
■	127	-20
○	128	-10
△	133	0




Figure 31(c).  $CL_{MS}$  vs  $CL$ ,  $DS = 10$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
□	134	0
○	139	-10
△	140	-20




Figure 32(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DS = 10$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.9$

SYMBOL	RUN	DC
■	134	0
○	139	-10
△	140	-20




Figure 32(b). CD vs CL, DS = 10,  
Configuration 2, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	134	0
○	139	-10
△	140	-20




Figure 32(c). CLMS vs CL, DS = 10,  
Configuration 0, BETA = 0, MACH = 0.6

SYMBOL	RUN	DS
□	108	0
○	112	5
▲	123	-5
+	133	10




Figure 33(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DC = 0$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DS
□	108	0
○	112	5
△	123	-5
+	133	10




Figure 33(b). CD vs CL, DC = 0,  
Configuration 2, BETA = 0, MACH = 0.6

SYMBOL	RUN	DS
■	108	0
○	112	5
△	123	-5
+	133	10




Figure 33(c). CLMS vs CL, DC = 0,  
Configuration 2, BETA = 0, MACH = 0.6

SYMBOL	RUN	DS
□	117	5
○	124	15
△	134	10




Figure 34(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DC = 0$ ,  
Configuration 2,  $BETA = 0$ ,  $MACH = 0.9$

SYMBOL	RUN	DS
$\square$	117	5
$\circ$	124	-5
$\blacktriangle$	134	10




Figure 34(b). CD vs CL, DC = 0,  
Configuration 2, BETA = 0, MACH = 0.9

SYMBOL	RUN	DS
□	117	5
○	124	-5
△	134	10




Figure 34(c). CLMS vs CL, DC = 0,  
Configuration 2, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	129	-10
○	132	0




Figure 35(a). CLL vs BETA, DS = 10,  
Configuration 2, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
$\square$	129	-10
$\circ$	132	0




Figure 35(b). CLN vs BETA, DC = 10,  
Configuration 2, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
■	129	-10
○	132	0




Figure 35(c). CYS vs BETA, DC = 10,  
Configuration 2, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
□	130	-10
○	131	0




Figure 36(a).  $C_{LL}$  vs  $BETA$ , DS = 10,  
Configuration 2, ALPHA = 15, MACH = 0.6

SYMBOL      RUN      DC  
 O            130      -10  
 E            131      0




Figure 36(b). CLN vs BETA, DS = 10,  
 Configuration 2, ALPHA = 15, MACH = 0.6

SYMBOL RUN DC  
E 130 -10  
G 131 0




Figure 36(c). CYS vs BETA, DS = 10,  
Configuration 2, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC	ALPHA
○	129	-10	10
△	130	0	10
▲	131	-10	15
+	132	0	15




Figure 37(a).  $C_{LL}$  vs  $BETA$ , DS = 10,  
Configuration 2, MACH = 0.6

SYMBOL	RUN	DC	ALPHA
■	129	-10	10
○	130	0	10
△	131	-10	15
+	132	0	15




Figure 37(b).  $CL_N$  vs  $BETA$ , DS = 10,  
Configuration 2, MACH = 0.6

SYMBOL	RUN	DC	ALPHA
■	129	-10	10
○	130	0	10
▲	131	-10	15
+	132	0	15




Figure 37(c). CYS vs BETA, DS = 10,  
Configuration 2, MACH = 0.6

SYMBOL	RUN	DC
$\square$	135	0
$\circ$	138	-10




Figure 38(a). CLL vs BETA, DS = 10,  
Configuration 2, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
CB	135	0
	138	-10




Figure 38(b).  $CL_N$  vs  $BETA$ , DS = 10,  
Configuration 2,  $\text{ALPHA} = 11$ ,  $\text{MACH} = 0.9$

SYMBOL	RUN	DC
□	135	0
○	138	-10




Figure 38(c). CYS vs BETA, DS = 10,  
Configuration 2, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
■	136	0
○	137	-10




Figure 39(a). CLL vs BETA, DS = 10,  
Configuration 2, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
□	136	0
○	137	-10




Figure 39(b). CLN vs BETA, DS = 10,  
Configuration 2, ALPHA = 16, MACH = 0.9

SYMBOL RUN DC  
□ 136 0  
○ 137 -10




Figure 39(c). CYS vs BETA, DS = 10,  
Configuration 2, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC	ALPHA
□	135	0	11
○	136	-10	11
△	137	0	16
+	138	-10	16




Figure 40(a).  $C_{LL}$  vs  $BETA$ , DS = 10,  
Configuration 2, MACH = 0.9

SYMBOL	RUN	DC	ALPHA
□	135	0	11
○	136	-10	11
△	137	0	16
+	138	-10	16




Figure 40(b). CLN vs BETA, DS = 10,  
Configuration 2, MACH = 0.9

SYMBOL	RUN	DC	ALPHA
□	135	0	11
○	136	-10	11
▲	137	0	16
+	138	-10	16




Figure 40(c). CYS vs BETA, DS = 10,  
Configuration 2, MACH = 0.9

SYMBOL	RUN	DC
□	143	0
○	144	-10
▲	145	-20




Figure 41(a).  $C_L$  vs  $\text{ALPHA}$ , DS = 10,  
Configuration 3, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	143	0
○	144	-10
△	145	-20




Figure 41(b). CD vs CL, DS = 10,  
Configuration 3, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
■	143	0
○	144	-10
▲	145	-20




Figure 41(c). CLMS vs CL, DS = 10,  
Configuration 3, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	146	-20
○	147	-10
△	148	0




Figure 42(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DS = 10$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
□	146	-20
○	147	-10
△	148	0




Figure 42(b). CD vs CL, DS = 10,  
Configuration 3, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	146	-20
○	147	-10
△	148	0




Figure 42(c). CLMS vs CL, DS = 10,  
Configuration 3, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	149	0
○	150	-10
▲	151	-20




Figure 43(a).  $CL$  vs  $\text{ALPHA}$ ,  $DS = -5$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.9$

SYMBOL	RUN	DC
□	149	0
○	150	-10
▲	151	-20




Figure 43(b).  $C_D$  vs  $C_L$ ,  $DC = 0$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.9$

SYMBOL	RUN	DC
■	149	0
○	150	-10
▲	151	-20




Figure 43(c). CLMS vs CL, DS = -5,  
Configuration 3, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	152	-20
○	153	-10
△	154	0




Figure 44(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DS = -5$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
□	152	-20
○	153	-10
△	154	0




Figure 44(b). CD vs CL, DS = -5,  
Configuration 3, BETA = 0, MACH = 0.9




Figure 44(c). CLMS vs CL, DS = -5,  
Configuration 3, BETA = , MACH = 0.6

SYMBOL	RUN	DC
○	156	-20
△	157	-10
▲	158	0
+	159	10
X	160	20




Figure 45(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DS = 5$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.9$




Figure 45(b). CD vs CL, DS = 5,  
Configuration 3, BETA = 0, MACH = 0.9




Figure 45(c). CLMS vs CL, DS = 5,  
Configuration 3, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	161	20
○	162	10
△	163	0
+	164	-10
X	165	-20




Figure 46(a).  $CL$  vs  $\text{ALPHA}$ ,  $DS = 5$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
□	161	20
○	162	10
▲	163	0
+	164	-10
×	165	-20




Figure 46(b). CD vs CL, DS = 5,  
Configuration 3, BETA = 0, MACH = 0.6




Figure 46(c). CLMS vs CL, DS = 5,  
Configuration 3, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
○	167	-10
□	168	0
▲	169	10




Figure 47(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DS = 0$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
□	167	-10
○	168	0
△	169	10




Figure 47(b). CD vs CL, DS = 0,  
Configuration 3, BETA = 0, MACH = 0.6




Figure 47(c). CLMS vs CL, DS = 0,  
Configuration 3, BETA = 0, MACH = 0.6

SYMBOL	RUN	DS
■	148	10
△	154	15
+	163	5
○	168	0




Figure 48(a).  $CL$  vs  $\text{ALPHA}$ ,  $DC = 0$ ,  
Configuration 3,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.6$

SYMBOL	RUN	DS
□	148	10
○	154	-5
△	163	5
+	168	0




Figure 48(b). CD vs CL, DC = 0,  
Configuration 3, BETA = 0, MACH = 0.6

SYMBOL	RUN	DS
□	148	10
○	154	-5
△	163	5
+	168	0




Figure 48(c). CLMS vs CL, DC = 0,  
Configuration 3, BETA = 0, MACH = 0.6

SYMBOL	RUN	DS
□	143	10
○	149	-5
△	158	5




Figure 49(a).  $C_L$  vs  $\text{ALPHA}$ ,  $DC = 0$ ,  
Configuration 3,  $BETA = 0$ ,  $MACH = 0.9$

SYMBOL	RUN	DS
□	143	10
○	149	-5
△	158	5




Figure 49(b). CD vs CL  
Configuration 3, BETA = 0, MACH = 0.9

SYMBOL	RUN	DS
□	143	10
○	149	-5
▲	158	5




Figure 49(c). CLMS vs CL, DC = 0,  
Configuration 3, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	171	-20
○	172	-10
▲	175	0
+	178	10
×	181	20




Figure 50(a).  $CL$  vs  $\text{ALPHA}$   
Configuration 4,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
■	171	-20
△	172	-10
▲	175	0
+	178	10
×	181	20




Figure 50(b). CD vs CL  
Configuration 4, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	171	-20
○	172	-10
△	175	0
+	178	10
×	181	20




Figure 50(c). CLMS vs CL  
Configuration 4, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	173	-10
Θ	176	0
▲	179	10




Figure 51(a). CLL vs BETA  
Configuration 4, ALPHA = 10, MACH = 0.6

**THIS PAGE WAS  
INTENTIONALLY  
LEFT BLANK**

SYMBOL	RUN	DC
□	173	-10
○	176	0
▲	179	10




Figure 51(c). CYS vs BETA  
Configuration 4, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
□	182	0
○	185	-10
△	186	10




Figure 52(a). CLL vs BETA  
Configuration 4, ALPHA = 11, MACH = 0.9




Figure 52(b). CLN vs BETA  
 Configuration 4, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
□	182	0
○	185	-10
△	186	10




Figure 52(c). CYS vs BETA  
Configuration 4, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
□	174	-10
○	177	0
▲	180	10




Figure 53(a). CLL vs BETA  
Configuration 4, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
■	174	-10
○	177	0
▲	180	10




Figure 53(b). CLN vs BETA  
Configuration 4, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
□	174	-10
○	177	0
▲	180	10




Figure 53(c). CYS vs BETA  
Configuration 4, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
■	183	0
○	184	-10
▲	187	10




Figure 54(a).  $CL_L$  vs  $\beta$   
Configuration 4,  $\alpha = 16$ ,  $MACH = 0.9$




Figure 54(b). CLN vs BETA  
 Configuration 4, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
■	183	0
○	184	-10
▲	187	10




Figure 54(c). CYS vs BETA  
 Configuration 4, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
■	189	-20
▲	190	-10
△	195	0
+	196	10
×	199	20




Figure 55(a).  $CL$  vs  $\text{ALPHA}$   
Configuration 5,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
□	189	-20
○	190	-10
△	195	0
+	196	10
×	199	20




Figure 55(b). CD vs CL  
Configuration 5, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	189	-20
Θ	190	-10
▲	195	0
+	196	10
X	199	20




Figure 55(c). CLMS vs CL  
Configuration 5, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	200	-20
○	201	-10
△	206	0
+	207	10
×	210	20




Figure 56(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 5,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.9$

SYMBOL	RUN	DC
□	200	-20
○	201	-10
△	206	0
+	207	10
×	210	20




Figure 56(b). CD vs CL  
Configuration 5, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	200	-20
○	201	-10
△	206	0
+	207	10
×	210	20




Figure 56(c). CLMS vs CL  
Configuration 5, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
■	211	0
○	212	-10
▲	213	10




Figure 57(a). CL vs ALPHA  
Configuration 5, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
■	211	0
○	212	-10
△	213	10




Figure 57(b). CD vs CL  
Configuration 5, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
□	211	0
Θ	212	-10
▲	213	10




Figure 57(c). CLMS vs CL  
Configuration 5, BETA = 0, MACH = 1.2

SYMBOL	RUN	MACH
□	195	0.6
○	206	0.9
▲	211	1.2




Figure 58(a).  $C_L$  vs  $\text{ALPHA}$   
 Configuration 5,  $BETA = 0$ ,  $DC = 0$

SYMBOL	RUN	MACH
■	195	0.6
Θ	206	0.9
▲	211	1.2




Figure 58(b).  $C_D$  vs  $C_L$   
Configuration 5,  $BETA = 0$ ,  $DC = 0$

SYMBOL	RUN	MACH
□	195	0.6
○	206	0.9
△	211	1.2




Figure 58(c). CLMS vs CL  
Configuration 5, BETA = 0, DC = 0

SYMBOL	RUN	DC
■	191	-10
○	194	0
△	197	10




Figure 59(a). CLL vs BETA  
Configuration 5, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
□	191	-10
○	194	0
△	197	10




Figure 59(b). CLN vs BETA  
Configuration 5, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
□	191	-10
○	194	0
▲	197	10




Figure 59(c). CYS vs BETA  
Configuration 5, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
■	192	-10
○	193	0
△	198	10




Figure 60(a). CLL vs BETA  
Configuration 5, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
□	192	-10
○	193	0
▲	198	10




Figure 60(b).  $CL_N$  vs  $BETA$   
Configuration 5,  $ALPHA = 15$ ,  $MACH = 0.6$

SYMBOL	RUN	DC
■	192	-10
○	193	0
▲	198	10




Figure 60(c). CYS vs BETA  
Configuration 5, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
■	202	-10
○	204	0
▲	208	10




Figure 61(a). CLL vs BETA  
Configuration 5, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DC
$\square$	202	-10
$\circ$	204	0
$\Delta$	208	10




Figure 61(b). CLN vs BETA  
Configuration 5, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DC
□	202	-10
○	204	0
▲	208	10




Figure 61(c). CYS vs BETA  
 Configuration 5, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DC
□	203	-10
○	205	0
▲	209	10




Figure 62(a). CLL vs BETA  
Configuration 5, ALPHA = 15, MACH = 0.9

SYMBOL	RUN	DC
□	203	-10
○	205	0
△	209	10




Figure 62(b). CLN vs BETA  
Configuration 5, ALPHA = 15, MACH = 0.9

SYMBOL	RUN	DC
□	203	-10
○	205	0
△	209	10




Figure 62(c). CYS vs BETA  
Configuration 5, ALPHA = 15, MACH = 0.9

SYMBOL	RUN	DC
◻	215	0
○	216	-10
▲	217	10




Figure 63(a). CL vs ALPHA  
Configuration 6, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
■	215	0
○	216	-10
△	217	10




Figure 63(b). CD vs CL  
Configuration 6, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
■	215	0
○	216	-10
△	217	10




Figure 63(c). CLMS vs CL  
Configuration 6, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
□	218	10
○	221	15
▲	224	0
+	225	-10
×	228	-20




Figure 64(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 6,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.9$

SYMBOL	RUN	DC
□	218	10
○	221	15
△	224	0
+	225	-10
×	228	-20




Figure 64(b). CL vs ALPHA  
Configuration 6, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	218	10
△	221	15
+	224	0
×	225	-10
×	228	-20




Figure 64(c). CLMS vs CL  
Configuration 6, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	229	-20
○	230	-10
△	235	0
+	236	10
X	239	15




Figure 65(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 6,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.6$

SYMBOL	RUN	DC
□	229	-20
○	230	-10
△	235	0
+	236	10
×	239	15




Figure 65(b). CD vs CL  
Configuration 6, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	229	-20
○	230	-10
△	235	0
+	236	10
×	239	15




Figure 65(c). CLMS vs CL  
Configuration 6, BETA = 0, MACH = 0.6

SYMBOL	RUN	MACH
□	215	0.6
○	224	0.9
▲	235	1.2




Figure 66(a). CL vs ALPHA  
Configuration 6, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	215	0.6
○	224	0.8
▲	235	1.2




Figure 66(b). CD vs CL  
Configuration 6, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	215	0.6
○	224	0.9
△	235	1.2




Figure 66(c). CLMS vs CL  
Configuration 6, BETA = 0, DC = 0

SYMBOL	RUN	DC
□	219	10
○	223	0
△	226	-10




Figure 67(a). CLL vs BETA  
Configuration 6, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
□	219	10
○	223	0
△	226	-10




Figure 67(b). CLN vs BETA  
 Configuration 6, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
■	219	10
○	223	0
△	226	-10




Figure 67(c). CYS vs BETA  
 Configuration 6, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
■	231	-10
○	234	0
△	237	10




Figure 68(a).  $CL_L$  vs  $BETA$   
Configuration 6,  $\text{ALPHA} = 10$ ,  $\text{MACH} = 0.6$

SYMBOL	RUN	DC
■	231	-10
○	234	0
▲	237	10




Figure 68(b). CLN vs BETA  
Configuration 6, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
■	231	-10
▲	234	0
△	237	10




Figure 68(c). CYS vs BETA  
Configuration 6, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
■	220	10
○	222	0
△	227	-10




Figure 69(a). CLL vs BETA  
Configuration 6, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
□	220	10
○	222	0
△	227	-10




Figure 69(b). CLN vs BETA  
Configuration 6, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
■	220	10
○	222	0
△	227	-10




Figure 69(c). CYS vs BETA  
Configuration 6, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
□	232	-10
○	233	0
△	238	10




Figure 70(a). CLL vs BETA  
Configuration 6, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
□	232	-10
○	233	0
△	238	10




Figure 70(b). CLN vs BETA  
Configuration 6, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
□	232	-10
○	233	0
△	238	10




Figure 70(c). CYS vs BETA  
Configuration 6, ALPHA = 15, MACH = 0.6

SYMBOL.	RUN	DC
□	241	15
△	242	10
○	243	0
+	244	-10
×	245	-20




Figure 71(a). CL vs ALPHA  
Configuration 7, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	241	15
○	242	10
▲	243	0
+	244	-10
×	245	-20




Figure 71(b). CD vs CL  
Configuration 7, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	241	15
○	242	10
△	243	0
+	244	-10
×	245	-20




Figure 71(c). CLMS vs CL  
Configuration 7, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	246	-20
○	247	-10
△	248	0
+	249	10
×	250	15




Figure 72(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 7,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.9$

SYMBOL	RUN	DC
□	246	-20
○	247	-10
△	248	0
+	249	10
X	250	15




Figure 72(b). CD vs CL  
Configuration 7, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
■	246	-20
○	247	-10
△	248	0
+	249	10
×	250	15




Figure 72(c). CLMS vs CL  
Configuration 7, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	252	10
○	257	0
△	258	-10
+	259	-15
×	260	-20




Figure 73(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 8,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.6$

SYMBOL	RUN	DC
□	252	10
○	257	0
△	258	-10
+	259	-15
X	260	-20




Figure 73(b).  $C_D$  vs  $C_L$   
Configuration 8,  $BETA = 0$ ,  $MACH = 0.6$




Figure 73(c). CLMS vs CL  
 Configuration 8, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	265	-20
○	266	-15
△	267	-10
+	268	0
×	273	10




Figure 74(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 8,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.9$

SYMBOL	RUN	DC
□	265	-20
○	266	-15
△	267	-10
+	268	0
×	273	10




Figure 74(b). CD vs CL  
Configuration 8, BETA = 0, MACH = 0.9




Figure 74(c). CLMS vs CL  
Configuration 8, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	275	10
○	280	0
△	283	-10
+	284	-15
×	285	-20




Figure 75(a). CL vs ALPHA  
Configuration 8, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
□	275	10
○	280	0
△	283	-10
+	284	-15
×	285	-20




Figure 75(b). CD vs CL  
Configuration 8, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
□	275	10
○	280	0
▲	283	-10
+	284	-15
×	285	-20




Figure 75(c). CLMS vs CL  
Configuration 8, BETA = 0, MACH = 1.2

SYMBOL	RUN	MACH
■	257	0.6
○	268	0.9
▲	280	1.2




Figure 76(a).  $CL$  vs  $\text{ALPHA}$   
Configuration 8,  $BETA = 0$ ,  $DC = 0$

SYMBOL	RUN	MACH
■	257	0.6
○	268	0.9
△	280	1.2




Figure 76(b). CD vs CL  
Configuration 8, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	257	0.6
○	268	0.9
△	280	1.2




Figure 76(c). CLMS vs CL  
Configuration 8, BETA = 0, DC = 0

SYMBOL	RUN	DC
□	253	10
○	256	0
△	261	-20




Figure 77(a). CLL vs BETA  
Configuration 8, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
■	253	10
○	256	0
△	261	-20




Figure 77(b). CLN vs BETA  
 Configuration 8, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
□	253	10
○	256	0
△	261	-20




Figure 77(c). CYS vs BETA  
Configuration 8, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
□	254	10
○	255	0
▲	262	-20




Figure 78(a). CLL vs BETA  
Configuration 8, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
□	254	10
○	255	0
△	262	-20




Figure 78(b).  $C_{LN}$  vs  $BETA$   
Configuration 8,  $\text{ALPHA} = 15$ ,  $\text{MACH} = 0.6$

SYMBOL	RUN	DC
■	254	10
○	255	0
△	262	-20




Figure 78(c). CYS vs BETA  
Configuration 8, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
□	264	-20
○	269	0
△	272	10




Figure 79(a). CLL vs BETA  
 Configuration 8, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DC
□	264	-20
○	269	0
△	272	10




Figure 79(b). CLN vs BETA  
Configuration 8, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DC
■	264	-20
○	269	0
△	272	10




Figure 79(c). CYS vs BETA  
Configuration 8, ALPHA = 10, MACH = 0.9

SYMBOL	RUN	DC
■	263	-20
○	270	0
▲	271	10




Figure 80(a). CLL vs BETA  
Configuration 8, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
□	263	-20
○	270	0
▲	271	10




Figure 80(b). CLN vs BETA  
Configuration 8, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
■	263	-20
○	270	0
▲	271	10




Figure 80(c). CYS vs BETA  
Configuration 8, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
□	276	10
○	279	0
△	281	-10
+	286	-20




Figure 81(a). CLL vs BETA  
Configuration 8, ALPHA = 11, MACH = 1.2

SYMBOL	RUN	DC
□	276	10
○	279	0
△	281	-10
+	286	-20




Figure 81(b). CLN vs BETA  
Configuration 8, ALPHA = 11, MACH = 1.2

SYMBOL	RUN	DC
□	276	10
○	279	0
△	281	-10
+	286	-20




Figure 81(c). CYS vs BETA  
Configuration 8, ALPHA = 11, MACH = 1.2

SYMBOL	RUN	DC
■	277	10
○	278	0
△	282	-10
+	287	-20




Figure 82(a).  $C_{LL}$  vs  $BETA$   
Configuration 8,  $\text{ALPHA} = 16$ ,  $\text{MACH} = 1.2$

SYMBOL	RUN	DC
■	277	10
○	278	0
△	282	-10
+	287	-20




Figure 82(b). CLN vs BETA  
Configuration 8, ALPHA = 16, MACH = 1.2

SYMBOL	RUN	DC
□	277	10
○	278	0
△	282	-10
+	287	-20




Figure 82(c). CYS vs BETA  
Configuration 8, ALPHA = 16, MACH = 1.2

SYMBOL	RUN	DC
□	290	-20
○	291	0
▲	292	10




Figure 83(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 9,  $\text{BETA} = 0$ ,  $\text{MACH} = 1.2$

SYMBOL	RUN	DC
□	290	-20
○	291	0
△	292	10




Figure 83(b). CD vs CL  
Configuration 9, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
■	290	-20
○	291	0
▲	292	10




Figure 83(c). CLMS vs CL  
Configuration 9, BETA = 0, MACH = 1.2

SYMBOL	RUN	DC
■	293	10
○	296	0
△	299	-20




Figure 84(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 9,  $\text{BETA} = 0$ ,  $\text{MACH} = 0.9$

SYMBOL	RUN	DC
■	293	10
○	296	0
△	299	-20




Figure 84(b). CD vs CL  
Configuration 9, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
□	293	10
○	296	0
▲	299	-20




Figure 84(c). CLMS vs CL  
Configuration 9, BETA = 0, MACH = 0.9

SYMBOL	RUN	DC
$\square$	302	-20
$\Theta$	305	0
$\Delta$	308	10




Figure 85(a). CL vs ALPHA  
Configuration 9, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
■	302	-20
○	305	0
△	308	10




Figure 85(b). CD vs CL  
Configuration 9, BETA = 0, MACH = 0.6

SYMBOL	RUN	DC
□	302	-20
○	305	0
△	308	10




Figure 85(c).  $C_{LMS}$  vs  $CL$   
Configuration 9,  $BETA = 0$ ,  $MACH = 0.6$

SYMBOL	RUN	MACH
■	291	1.2
○	296	0.9
▲	305	0.6




Figure 86(a). CL vs ALPHA  
Configuration 9, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	291	1.2
○	296	0.9
△	305	0.6




Figure 86(b). CD vs CL  
Configuration 9, BETA = 0, DC = 0

SYMBOL	RUN	MACH
□	291	1.2
○	296	0.9
△	305	0.6




Figure 86(c). CLMS vs CL  
Configuration 9, BETA = 0, DC = 0

SYMBOL	RUN	DC
□	294	10
○	297	0
△	300	-20




Figure 87(a). CLL vs BETA  
Configuration 9, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
□	294	10
○	297	0
△	300	-20




Figure 87(b). CLN vs BETA  
Configuration 9, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
■	294	10
○	297	0
△	300	-20




Figure 87(c). CYS vs BETA  
Configuration 9, ALPHA = 11, MACH = 0.9

SYMBOL	RUN	DC
□	295	10
○	298	0
△	301	-20




Figure 88(a). CLL vs BETA  
Configuration 9, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
■	295	10
○	298	0
▲	301	-20




Figure 88(b). CLN vs BETA  
Configuration 9, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
□	295	10
Θ	298	0
▲	301	-20




Figure 88(c). CYS vs BETA  
Configuration 9, ALPHA = 16, MACH = 0.9

SYMBOL	RUN	DC
■	303	-20
○	306	0
△	309	10




Figure 89(a). CLL vs BETA  
Configuration 9, ALPHA = 10, MACH = 0.6




Figure 89(b). CLN vs BETA  
 Configuration 9, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
■	303	-20
○	306	0
▲	309	10




Figure 89(c). CYS vs BETA  
Configuration 9, ALPHA = 10, MACH = 0.6

SYMBOL	RUN	DC
□	304	-20
○	307	0
△	310	10




Figure 90(a).  $C_{LL}$  vs BETA  
Configuration 9,  $\text{ALPHA} = 15$ ,  $\text{MACH} = 0.6$

SYMBOL	RUN	DC
□	304	-20
○	307	0
△	310	10




Figure 90(b). CLN vs BETA  
 Configuration 9, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	DC
■	304	-20
○	307	0
△	310	10




Figure 90(c). CYS vs BETA  
Configuration 9, ALPHA = 15, MACH = 0.6

SYMBOL	RUN	MACH
□	312	1.2
○	313	0.9
△	314	0.6




Figure 91(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 10,  $BETA = 0$ ,  $DC = 0$

SYMBOL	RUN	MACH
■	312	1.2
○	313	0.9
△	314	0.6




Figure 91(b). CD vs CL  
Configuration 10, BETA = 0, DC = 0




Figure 91(c).  $CL_{MS}$  vs  $CL$   
Configuration 10,  $BETA = 0$ ,  $DC = 0$

SYMBOL	RUN	MACH
□	316	1.2
○	317	0.9
△	318	0.6




Figure 92(a).  $C_L$  vs  $\text{ALPHA}$   
Configuration 11,  $BETA = 0$

SYMBOL	RUN	MACH
□	316	1.2
○	317	0.9
▲	318	0.6




Figure 92(b). CD vs CL  
Configuration 11, BETA = 0

SYMBOL	RUN	MACH
■	316	1.2
○	317	0.9
△	318	0.6




Figure 92(c). CLMS vs CL  
Configuration 11, BETA = 0

1. Report No. NASA TM-85909	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle  X-29A Longitudinal and Directional Force and Moment Supplemental Transonic Wind Tunnel Test Results		5. Report Date August 1984	
7. Author(s)  Albion H. Bowers		6. Performing Organization Code	
9. Performing Organization Name and Address  NASA Ames Research Center Dryden Flight Research Facility P.O. Box 273 Edwards, California 93523		8. Performing Organization Report No. H-1257	
12. Sponsoring Agency Name and Address  National Aeronautics and Space Administration Washington, D.C. 20546		10. Work Unit No.	
15. Supplementary Notes		11. Contract or Grant No.	
16. Abstract		13. Type of Report and Period Covered Technical Memorandum	
		14. Sponsoring Agency Code RTOP 533-02-81	
17. Key Words (Suggested by Author(s))  X-29A Wind tunnel force and moment data Forward-swept wing Relaxed static stability		18. Distribution Statement  STAR category 05	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 288	22. Price* A13

\*Available through NASA's Industrial Applications Centers.